

## Jednoduchý středně velký podlahový mycí stroj s chodící obsluhou

The solution tank and recovery tank is integrated into one molded part which creates higher tank capacity. The body architecture helps to increase tank capacity for longer cleaning operations with one fill. This saves you time! Easy to use. Both the built in charger, reduced pushing force and ergonomic start/stop switch gives the user a better handling of the product and use less force during cleaning. User-friendly and simple. The cover of recovery tank is much bigger than competitive products and it makes the cleaning of the recovery tank easier. Easy to fill clean water tank, both brush and vacuum motors are very well protected from water splash. Available in both cable and battery version to give the customer the flexibility to choose the best product to cover their cleaning needs. The AS430/510 are a simple to use medium-sized walk-behind scrubber dryers. The perfect solution for scrubbing and drying in mid-sized and heavy-traffic areas. You will find it ideally suitable for daily indoor cleaning in middle sized areas of hotels, restaurants, schools, shopping malls and other retail outlets, as well as hospitals, metro/train stations.



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment

Model	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V
Ref. no.	50000218	50000238	50000220

### PRODUCT FEATURES

Měřič motohodin		•	
Verze kabelu			•
Verze baterie	•	•	
Vyprazdňovací hadice	•	•	•
Hladinový indikátor	•	•	

Model	AS510C-EU 20INCH SCRUBBER CABLE 240V
Ref. no.	50000240

### PRODUCT FEATURES

Měřič motohodin	
Verze kabelu	•
Verze baterie	
Vyprazdňovací hadice	•
Hladinový indikátor	



## Jednoduchý středně velký podlahový mycí stroj s chodící obsluhou

Technical specifications	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V
Úroveň hlučnosti	70	70	70
Délka přívodní šňůry (M) / typ zástrčky	N/A	N/A	20
Motor kartáče (W)	550	650	750
Příkon sacího motoru (W)	350	350	650
Typ baterie	2X12V 85Ah/20h AGM	2X12V 105Ah/20h AGM	N/A
Sání (mm H2O)	1200	1200	1200
Výkon (M2/HOD)	1100	1600	1100
Nádoba na čistící roztok (L)	40	40	50
Nádoba na použitý roztok (L)	40	40	50
Šíře stěrky (MM)	730	790	730
Průměr kartáče / leštícího kotouče (MM)	430	510	430
Přítlak kartáče (KG)	30 Max	35 Max	35 max
Rychlost kartáče (OT./MIN.)	150	150	160
Rozměry d x š x v (MM)	1200x610x1170	1200x610x1170	1200x610x1170
Velikost místa pro baterii	340x330x260	340x330x260	N/A
Max. nákladová hmotnost (kg)	152	168	120
Čistá hmotnost (KG)	112	128	70

Technical specifications	AS510C-EU 20INCH SCRUBBER CABLE 240V
Úroveň hlučnosti	70
Délka přívodní šňůry (M) / typ zástrčky	20
Motor kartáče (W)	750
Příkon sacího motoru (W)	650
Typ baterie	N/A
Sání (mm H2O)	1200
Výkon (M2/HOD)	1600
Nádoba na čistící roztok (L)	50
Nádoba na použitý roztok (L)	50
Šíře stěrky (MM)	790
Průměr kartáče / leštícího kotouče (MM)	510
Přítlak kartáče (KG)	38 Maz
Rychlost kartáče (OT./MIN.)	160
Rozměry d x š x v (MM)	1200x610x1170
Velikost místa pro baterii	N/A
Max. nákladová hmotnost (kg)	124



## Jednoduchý středně velký podlahový mycí stroj s chodící obsluhou

## Technical specifications

AS510C-EU  
20INCH  
SCRUBBER CABLE  
240V

Čistá hmotnost (KG)

74

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

